

Supplementary table 2: Pituitary-gonadal levels in men and women hospitalized with bacterial CAP by 90-day vital status

	Men			Women		
	Alive n=39	Dead n=3	p-value	Alive n=33	Dead n=1	p-value
Age, years (IQR)	71 (65-80)	80 (76-82)	0.293	71 (59-86)	83	0.241
BMI, kg/m ² (SD)	26.2 (5.2)	28.4 (16.9)	0.625	24.7 (6.0)	21.5	0.604
Testosterone, nmol/L, (IQR)	3.8 (2.2-6.6)	5.1 (2.7-8.6)	0.751	0.4 (0.3-0.7)	0.9	0.241
Estrone-sulfate, nmol/L, (IQR)	3.0 (1.2-5.8)	1.9 (1.2-8.9)	0.678	1.0 (0.4-4.9)	0.3	0.241
LH, IU/L (IQR)	4.2 (2.6-7.4)	18.5 (10.1-26.4)	0.294	9.2 (3.6-17.9)	30.6	0.144
FSH, IU/L (IQR)	4.1 (2.4-7.2)	11.7 (9.1-18.2)	0.043	16 (5.6-31.2)	68.2	0.093

Abbreviations: CAP: Community-acquired pneumonia, BMI: Body-mass-index, LH: Leuteinizing hormone, FSH: Follicle stimulating hormone, IQR: Interquartile range, SD: Standard deviation

Community-acquired pneumonia, BMI: Body-mass-index, LH: Leuteinizing hormone, FSH: Follicle stimulating hormone, IQR: Interquartile range, SD: Standard deviation